

ACE Electronic Ocean Manifest Requirements

350 U.S. Customs and Border Protection Status

May 2024



U.S. Customs and
Border Protection



350 U.S. Customs Status Information

Functional Group ID=**SO**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the U.S. Customs and Border Protection (CBP) Status Information Transaction Set (350) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by CBP to supply carriers, NVOCC's, terminal operators, port authorities and service providers with cargo release and cargo hold information for import shipments. It can also be used by CBP to provide exporters or their agents, carriers, and service providers with information pertaining to export shipments.

This Implementation Guideline uses the ASC X12 4010 Standards Version/Release as its base. The transaction structure has been altered to accommodate U.S. Customs and Border Protection implementation requirements.

Notes:

This document has been altered to accommodate creation of a TS350 Un-manifested Container Report:

- Addition of the VID Segment within the P4 Loop
- Added X420 in support of Gate Out - resend indicator
- Added 'FC' Filer/Agent Code at N9 above the X4 Loop

The document's original functionality has been retained:

Empty equipment containing articles qualifying for IIT treatment will be manifested in the same manner as all other shipments (TS309). Status notifications (TS350) will go to authorized recipients.

All transactions will result in a new status notification which will be sent to all parties associated with the manifest.

Notes:

1. The X4 segment is provided for Bill of Lading status notifications.
2. The V9 segment is provided for vessel-level status notifications.

Special Messaging constraints:

- Limit one Interchange (ISA-IEA) per message transmission.
- Limit one message Group (GS-GE) per message transmission.
- Limit one transaction set (ST-SE) of the same Transaction Set (TS) Identifier Code (i.e., 350). Only one is allowed per message transmission.
- Element delimiters used in this transaction will be '*' (asterisk).
- Segment delimiters used in this transaction will be one byte with a value of hex '15'.
- A segment delimiter will be the last byte of data in the message transmission data stream.
- Only uppercase AMERICAN ENGLISH alphabetic data will be transmitted.
- ONLY displayable characters found on a standard American English keyboard will be transmitted. Low-values, carriage return characters, or other non-standard characters will NOT be transmitted.
- 'Not Used' in the left column indicates that a composite or data element will not be used by CBP.
- 'Dep' in the left column indicates that CBP usage of a particular segment or element is Dependent (Conditional) within the CBP application.
- Per the ASC X12 Standard, an 'M' indicates a Mandatory use, 'O' indicates Optional Use and an 'X' indicates a Conditional use.
- CBP requirements may override ASC X12 Standard Mandatory or Conditional usages.
- Maximum allowable message transmission size is 12 megabytes (12,582,912 bytes) of data.

(Last Update: October 2015) ACE v 1.1

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat
M	005	ISA	Interchange Control Header	M	1	
M	008	GS	Functional Group Header	M	1	
M	010	ST	Transaction Set Header	M	1	
	020	M10	Manifest Identifying Information	O	1	
						20
	040	P4	U.S. Port Information	O	1	
	045	V9	Event Detail	O	20	
	048	VID	Conveyance Identification	O	9999	
	050	K1	Remarks	O	4	
			LOOP ID - N9			999
	053	N9	Reference Identification	O	1	
Not Used	054	K1	Remarks	O	4	
			LOOP ID - X4			9999
	060	X4	Customs Release Information	O	1	
	070	K1	Remarks	O	4	
	081	N7	Equipment Details	O	999	
			LOOP ID - BA1			999
Not Used	085	BA1	Export Shipment Identifying Information	O	1	
			LOOP ID - X4			9999
Not Used	090	X4	Customs Release Information	O	1	
Not Used	095	K1	Remarks	O	4	
M	100	SE	Transaction Set Trailer	M	1	
M	105	GE	Functional Group Trailer	M	1	
M	110	IEA	Interchange Control Trailer	M	1	

Table of Changes

Version Number	Date of Change	Section(s) Affected	Brief Description of Change
1.1	May 2024	N9 Reference Identification – N901 Reference Description	Added CR User-defined Reference Number to Data Element Summary Added 7U ISF Transaction Reference Number to Data Element Summary

Segment: **ISA** Interchange Control Header
Position: 005
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

Syntax Notes:
Semantic Notes:

Data Element Summary

Ref.	Data			
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	ISA01	I01	Authorization Information Qualifier	M ID 2/2
			Code to identify the type of information in the Authorization Information	
			Always '00'	
			00	No Authorization Information Present (No Meaningful Information in I02)
M	ISA02	I02	Authorization Information	M AN 10/10
			Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)	
			Always 10 spaces.	
M	ISA03	I03	Security Information Qualifier	M ID 2/2
			Code to identify the type of information in the Security Information	
			Always '00'	
			00	No Security Information Present (No Meaningful Information in I04)
M	ISA04	I04	Security Information	M AN 10/10
			This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)	
			Always 10 spaces.	
M	ISA05	I05	Interchange ID Qualifier	M ID 2/2
			Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified	
			Always 'ZZ'	
			ZZ	Mutually Defined
M	ISA06	I06	Interchange Sender ID	M AN 15/15
			Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element	
			'CUSTOMSTST' - Testing	
			'CUSTOMS' - Production	
M	ISA07	I05	Interchange ID Qualifier	M ID 2/2
			Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified	
			Always 'ZZ'	
			ZZ	Mutually Defined

M	ISA08	I07	Interchange Receiver ID	M AN 15/15
			Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them Receiver Identifier. Up to 4 alpha/numeric characters. Value will contain the Standard Carrier Alpha Code (SCAC) or the identity of the Service Center if applicable. May be identical to that of GS03.	
M	ISA09	I08	Interchange Date	M DT 6/6
			Date of the interchange Date as YYMMDD where: YY - Year MM - Month of Year DD - Day of Month	
M	ISA10	I09	Interchange Time	M TM 4/4
			Time of the interchange Time as HHMM where: HH - Hour MM - Minute	
M	ISA11	I10	Interchange Control Standards Identifier	M ID 1/1
			Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer Preferred 'U' U U.S. EDI Community of ASC X12, TDCC, and UCS	
M	ISA12	I11	Interchange Control Version Number	M ID 5/5
			This version number covers the interchange control segments Always '00401' 00401 Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997	
M	ISA13	I12	Interchange Control Number	M N0 9/9
			A control number assigned by the interchange sender	
M	ISA14	I13	Acknowledgment Requested	M ID 1/1
			Code sent by the sender to request an interchange acknowledgment (TA1) Always '0' 0 No Acknowledgment Requested	
M	ISA15	I14	Usage Indicator	M ID 1/1
			Code to indicate whether data enclosed by this interchange envelope is test, production or information Always 'P' P Production Data T Test Data	
M	ISA16	I15	Component Element Separator	M AN 1/1
			Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator Always ':' (colon)	

Segment: **GS** Functional Group Header
Position: 008
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a functional group and to provide control information
Syntax Notes:
Semantic Notes:

- 1 GS04 is the group date.
- 2 GS05 is the group time.
- 3 The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

Data Element Summary

Ref.	Data			
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	GS01	479	Functional Identifier Code Code identifying a group of application related transaction sets Always 'SO'	M ID 2/2
			SO Ocean Shipment Information	
M	GS02	142	Application Sender's Code Code identifying party sending transmission; codes agreed to by trading partners 'CUSTOMSTST' - Testing 'CUSTOMS' - Production	M AN 2/15
M	GS03	124	Application Receiver's Code Code identifying party receiving transmission; codes agreed to by trading partners Receiver Identifier. Up to 4 alpha/numeric characters. Value will contain the Standard Carrier Alpha Code (SCAC) or the identity of the Service Center if applicable. May be identical to that of ISA08.	M AN 2/15
M	GS04	373	Date Date expressed as CCYYMMDD Date as CCYYMMDD where: CC - Century YY - Year MM - Month of Year DD - Day of Month	M DT 8/8
M	GS05	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) Time as HHMM where: HH - Hour MM - Minute	M TM 4/8
M	GS06	28	Group Control Number Assigned number originated and maintained by the sender	M N0 1/9
M	GS07	455	Responsible Agency Code Code used in conjunction with Data Element 480 to identify the issuer of the standard Always 'X' X Accredited Standards Committee X12	M ID 1/2

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set Always '350' 350 U.S. Customs Status Information
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Segment: **M10** Manifest Identifying Information
Position: 020
Loop:
Level:
Usage: Optional
Max Use: 1
Purpose: To transmit manifest identifying information
Syntax Notes:

- 1 If either M1004 or M1010 is present, then the other is required.
- 2 At least one of M1005 or M1004 is required.

Semantic Notes:

- 1 M1004 is International Maritime Organization (IMO) Code issued by Lloyds.
- 2 M1007 is used for the six-digit Numeric Manifest Sequence Number.
- 3 M1011 indicates if the transmission involves an in-bond participant. A "Y" indicates it does; an "N" indicates it does not.
- 4 M1012 is a unique identification number for the manifest assigned by the originator of the manifest with a maximum length of 15.

Notes:

1. May have Rail relationship as SNP.

Data Element Summary

Ref.	Data	Element Name	Attributes
M	M1001	140 Standard Carrier Alpha Code Standard Carrier Alpha Code CBP returns the SCAC of the manifest associated with the conveyance in the M1004 and/or M1005.	M ID 2/4
M	M1002	91 Transportation Method/Type Code Code specifying the method or type of transportation for the shipment Values returned from CBP. O Containerized Ocean R Rail	M ID 1/2
M	M1003	26 Country Code Code identifying the country ISO 2 alpha Country Code.	M ID 2/3
	M1004	597 Vessel Code Code identifying vessel International Maritime Organization (IMO) Code issued by Lloyds will be returned if M1002 is 'O'.	X ID 1/8
	M1005	182 Vessel Name Name of vessel CBP returns Vessel Name.	X AN 2/28
M	M1006	55 Flight/Voyage Number Identifying designator for the particular flight or voyage on which the cargo travels CBP returns Voyage Number from original manifest.	M AN 2/10
	M1007	127 Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Unique carrier number which will be returned from CBP in the response. If not provided, CBP returns '000001' in the response message.	O AN 1/30
Not Used	M1008	380 Quantity	O R 1/15
M	M1009	256 Manifest Type Code Code identifying the type of manifest transmitted Always 'Z' Z Sent from US Customs to Carriers	M ID 1/1

	M1010	897	Vessel Code Qualifier	X	ID 1/1
			Code specifying vessel code source		
			Value returned if provided on the inbound message.		
			L IMO Code issued by Lloyds.		
Not Used	M1011	1073	Yes/No Condition or Response Code	O	ID 1/1
Not Used	M1012	127	Reference Identification	O	AN 1/30

Segment: **P4 U.S. Port Information**
Position: 040
Loop: P4 Optional
Level:
Usage: Optional
Max Use: 1
Purpose: To transmit identifying information for a U.S. port
Syntax Notes:
Semantic Notes:

- 1 P401 is used for customs district and port code (census schedule D).
- 2 P402 is the estimated date of arrival.
- 3 P403 is used for number of bills of lading.
- 4 P404 is the Facilities Information and Resources Management System (FIRMS) Code.
- 5 P405 is the estimated time of arrival for P402.

Data Element Summary

Ref.	Data			
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	P401	310	Location Identifier Code which identifies a specific location When M1002 = 'R', CBP returns the Port of Arrival of the Train in the U.S. When M1002 = 'O', CBP returns the Port of Arrival for the Ocean Vessel.	M AN 1/30
M	P402	373	Date Date expressed as CCYYMMDD CBP returns the Estimated Date of Arrival.	M DT 8/8
Not Used	P403	380	Quantity	O R 1/15
Not Used	P404	310	Location Identifier	O AN 1/30
Not Used	P405	337	Time	O TM 4/8

Segment: **V9** Event Detail
Position: 045
Loop: P4 Optional
Level:
Usage: Optional
Max Use: 20
Purpose: To specify information about a specific event
Syntax Notes:

- 1 If either V910 or V911 is present, then the other is required.
- 2 If V913 is present, then V904 is required.
- 3 If V915 is present, then V909 is required.

Semantic Notes:

- 1 V903 is the event date.
- 2 V904 is the event time.
- 3 V909 is the Standard Point Location Code (SPLC) of the event shown in the V901.
- 4 V910 is the length of the time delay expressed in hours.
- 5 V913 reflects the time zone which the event time reflects.
- 6 V914 is the quantity of the fuel in gallons.
- 7 V915 is the Standard Point Location Code (SPLC) of the secondary point of the delay indicated in the V911.
- 8 V916 is the total number of rail cars associated with the event code in V901.
- 9 V917 is the total number of loaded cars associated with the event code in V901.
- 10 V918 is the total number of empty cars associated with the event code in V901.
- 11 V919 is the total Gross Tons of the cars identified in V916. Includes the gross weight of the loads and the tare weight of the empties.
- 12 V920 is the total outside foot length of the cars identified in V916, rounded off to the nearest foot.

Notes: When M1002 = 'R' this segment is not transmitted.

Data Element Summary

Ref.	Data																												
<u>Des.</u>	<u>Element Name</u>	<u>Attributes</u>																											
M	V901	304	Event Code Code identifying the event about which a report is made Values returned by CBP. <table border="0"> <tr><td>AAD</td><td>Arrival of Conveyance</td></tr> <tr><td>ACC</td><td>Acceptance of Vessel Stowage Plan</td></tr> <tr><td></td><td>No unmanifested equipment found.</td></tr> <tr><td>COC</td><td>Arrival Cancelled (can only be performed by Customs personnel in portal)</td></tr> <tr><td></td><td>This capability is restricted to the most recent arrival of a vessel/voyage in a port and can only be performed by Customs personnel via the portal.</td></tr> <tr><td></td><td>This cancellation will negate the arrivals/exports of in-bonds associated with the vessel/voyage that have occurred after the vessel has arrived in that port.</td></tr> <tr><td></td><td>When the vessel is re-arrived by the carrier or Customs personnel, the in-bonds must also be re-arrived and re-exported.</td></tr> <tr><td>HMI</td><td>Vessel Hold</td></tr> <tr><td>HRE</td><td>Removal of Vessel Hold</td></tr> <tr><td>INC</td><td>Unmanifested Equipment within Stowage Plan</td></tr> <tr><td>OCA</td><td>Conveyance Arrival Overdue</td></tr> <tr><td>SEI</td><td>Seized Equipment</td></tr> <tr><td>SER</td><td>Seized Equipment – Removed</td></tr> </table>	AAD	Arrival of Conveyance	ACC	Acceptance of Vessel Stowage Plan		No unmanifested equipment found.	COC	Arrival Cancelled (can only be performed by Customs personnel in portal)		This capability is restricted to the most recent arrival of a vessel/voyage in a port and can only be performed by Customs personnel via the portal.		This cancellation will negate the arrivals/exports of in-bonds associated with the vessel/voyage that have occurred after the vessel has arrived in that port.		When the vessel is re-arrived by the carrier or Customs personnel, the in-bonds must also be re-arrived and re-exported.	HMI	Vessel Hold	HRE	Removal of Vessel Hold	INC	Unmanifested Equipment within Stowage Plan	OCA	Conveyance Arrival Overdue	SEI	Seized Equipment	SER	Seized Equipment – Removed
AAD	Arrival of Conveyance																												
ACC	Acceptance of Vessel Stowage Plan																												
	No unmanifested equipment found.																												
COC	Arrival Cancelled (can only be performed by Customs personnel in portal)																												
	This capability is restricted to the most recent arrival of a vessel/voyage in a port and can only be performed by Customs personnel via the portal.																												
	This cancellation will negate the arrivals/exports of in-bonds associated with the vessel/voyage that have occurred after the vessel has arrived in that port.																												
	When the vessel is re-arrived by the carrier or Customs personnel, the in-bonds must also be re-arrived and re-exported.																												
HMI	Vessel Hold																												
HRE	Removal of Vessel Hold																												
INC	Unmanifested Equipment within Stowage Plan																												
OCA	Conveyance Arrival Overdue																												
SEI	Seized Equipment																												
SER	Seized Equipment – Removed																												
Not Used	V902	106	Event O AN 1/25																										

Date expressed as CCYYMMDD

Date of Posting.

	V904	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		
			Time of Posting will be in Eastern Standard/Daylight time.		
Not Used	V905	19	City Name	O	AN 2/30
Not Used	V906	156	State or Province Code	O	ID 1/2
Not Used	V907	26	Country Code	O	ID 2/3
Not Used	V908	641	Status Reason Code	O	ID 1/3
Not Used	V909	154	Standard Point Location Code	X	ID 6/9
Not Used	V910	380	Quantity	X	R 1/15
Not Used	V911	1274	Train Delay Reason Code	X	AN 2/2
Not Used	V912	61	Free-Form Message	O	AN 1/30
Not Used	V913	623	Time Code	X	ID 1/2
Not Used	V914	380	Quantity	O	R 1/15
Not Used	V915	154	Standard Point Location Code	X	ID 6/9
Not Used	V916	86	Total Equipment	O	N0 1/3
Not Used	V917	86	Total Equipment	O	N0 1/3
Not Used	V918	86	Total Equipment	O	N0 1/3
Not Used	V919	81	Weight	O	R 1/10
Not Used	V920	82	Length	O	R 1/8

Segment: **VID** Conveyance Identification
Position: 048
Loop: P4 Optional
Level:
Usage: Optional
Max Use: 9999
Purpose: To identify a conveyance and its attributes
Syntax Notes:
Semantic Notes:

- VID12 is the Census Schedule K code for the foreign port of loading on a vessel.
- VID13 is the Standard Carrier Alpha Code (SCAC) of the Haulage Rights Carrier.

Notes: VID will only be generated outbound if V901 is 'INC' (Unmanifested Equipment within Stowage Plan), HMI (Unmanifested Equipment Hold), HRE (Unmanifested Equipment Hold Removed), SEI (Seized Equipment), or SER (Seized Equipment – Removed). Values will be returned if sent in the inbound message. When M1002 = 'R' this segment is not transmitted.

Data Element Summary

Ref.	Data	Element Name	Attributes
M	VID01	40 Equipment Description Code Code identifying type of equipment used for shipment Will not be returned.	M ID 1/2
	VID02	206 Equipment Initial Prefix or alphabetic part of an equipment unit's identifying number	O AN ¼
M	VID03	207 Equipment Number Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	M AN 1/10
Not Used	VID04	225 Seal Number	O AN 2/15
Not Used	VID05	225 Seal Number	O AN 2/15
	VID06	567 Equipment Length Length (in feet and inches) of equipment ordered or used to transport shipment (The format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11)	O N0 4/5
	VID07	65 Height Vertical dimension of an object measured when the object is in the upright position	O R 1/8
	VID08	189 Width Shorter measurement of the two horizontal dimensions measured with the object in the upright position	O R 1/8
	VID09	24 Equipment Type Code identifying equipment type	O ID 1/4
	VID10	322 Load/Empty Status Code Code which specifies the loaded condition of transportation equipment Values returned from CBP. E Empty L Loaded	O ID 1/1
Not Used	VID11	56 Type of Service Code	O ID 1/2
	VID12	310 Location Identifier Code which identifies a specific location Foreign Port of lading from Schedule K from CAMIR Appendix F.	O AN 1/30
	VID13	140 Standard Carrier Alpha Code Standard Carrier Alpha Code Owner of Equipment Lessor SCAC.	O ID 2/4

Segment: **K1** Remarks
Position: 050
Loop: P4 Optional
Level:
Usage: Optional
Max Use: 4
Purpose: To transmit information in a free-form format for comment or special instruction
Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	K101	61	Free-Form Message Free-form information	M AN 1/30
Not Used	K102	61	Free-Form Message	O AN 1/30

Segment: N9 Reference Identification
Position: 053
Loop: N9 Optional
Level:
Usage: Optional
Max Use: 1
Purpose: To transmit identifying information as specified by the Reference Identification Qualifier
Syntax Notes:

- 1 At least one of N902 or N903 is required.
- 2 If N906 is present, then N905 is required.
- 3 If either C04003 or C04004 is present, then the other is required.
- 4 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 N906 reflects the time zone which the time reflects.
- 2 N907 contains data relating to the value cited in N902.

Notes: Values will be returned if sent in the inbound message.

Data Element Summary

Ref.	Data			
	<u>Element Name</u>		<u>Attributes</u>	
M	N901	128	Reference Identification Qualifier Code qualifying the Reference Identification Values returned by CBP. 7U ISF Transaction Reference Number 8S Broker Identification - Future Use BN Booking Number CR User-defined Reference Number FC Filer Code Issued by Customs This value refers to the ISF Filer/Agent Code OB Ocean Bill of Lading If M1002 = 'O' this value refers to Master Bill of Lading. If M1002 = 'R' this value refers to Ocean Bill of Lading. SNP Secondary Notify Party	M ID 2/3
	N902	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier For Reference Identifier Qualifier '8S', the Reference Identifier is the filer code of the broker initiating an in-bond move against the bill. - Future Use. For Reference Identifier Qualifier 'BN', the Reference Identifier is the Booking Number provided in the inbound manifest. For Reference Identifier Qualifier 'CR', the Reference Identifier is the User-defined Reference Number. For Reference Identifier Qualifier 'FC', the Reference Identifier is the Filer/Agent Code provided in the inbound manifest for Importer Security Filing. For Reference Identifier Qualifier 'OB', the Reference Identifier is the Master bill of lading number if M1002 = 'O'. If M1002 = 'R' the Reference Identifier refers to Ocean Bill of Lading. For Reference Identifier Qualifier 'SNP', the Reference Identifier is the SCAC identifying a Secondary Notify Party for the Bill of Lading.	X AN 1/30
Not Used	N903	369	Free-form Description	X AN 1/45

Not Used	N904	373	Date
Not Used	N905	337	Time

O	DT 8/8
X	TM 4/8

Not Used	N906	623	Time Code	O ID 1/2
Not Used	N907	C040	Reference Identifier	O
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	
Not Used	C04001	128	Reference Identification Qualifier	M ID 2/3
			Code qualifying the Reference Identification	

Not Used	C04002	127	Reference Identification	M	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
Not Used	C04003	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

Segment:	X4 Customs Release Information
Position:	060
Loop:	X4 Optional
Level:	
Usage:	Optional
Max Use:	1
Purpose:	To identify items for release
Syntax Notes:	<ol style="list-style-type: none"> 1 If either X403 or X404 is present, then the other is required. 2 If either X408 or X410 is present, then the other is required. 3 At least one of X415 or X416 is required. 4 If X417 is present, then X406 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 X401 is the unique bill of lading number. 2 X402 is used for quantity released. 3 X405 is the date the authority for release of parts or material is issued. 4 X406 is the time for the disposition specified in X407. 5 X414 is the U.S. Customs Facilities Information and Resources Management System (FIRMS) code. 6 X417 reflects the time zone which the time reflects.
Notes:	<p>Elements X415 and X416 are used in the following 2 scenarios:</p> <ol style="list-style-type: none"> 1. QP - broker initiated in-bonds electronically. 2. An ocean carrier discharges cargo in Canada and then turns it over to the railroad which assigns their SCAC to the bill and nominates the ocean carrier as an SNP. Therefore X415 will be 'OB' for ocean bill and X416 will be the bill of lading number. 3. The 'BN' Reference Identifier is the Booking Number provided in the inbound manifest. 4. The X411 and X412 Equipment Number elements will be returned for "Equipment - level" Status Notifications which are specific to a given Equipment for a Bill of Lading. When the X411 and X412 Equipment Number elements are not populated, then the Status Notification is assumed to apply to the entire Bill of Lading.

Data Element Summary

Ref.	Data
<u>Des.</u>	<u>Element Name</u> <u>Attributes</u>
X401	598 Bill of Lading/Waybill Number O AN 1/12 Identification number assigned to the shipment by the carrier or consolidator Bill Issuer Sequence Number. X409 + X401 comprise the unique bill of lading number.
X402	380 Quantity O R 1/15 Numeric value of quantity Quantity of the disposition provided in the X407. Quantity can be partial amount for release.
X403	581 Customs Entry Type Code X ID 1/2 Code defining the type of entry assigned by U.S. Customs Refer to CAMIR Appendix B for valid codes.
X404	601 Customs Entry Number X AN 1/15 Automated Commercial Environment Code Furnished by U.S. Customs The CBP entry number, form number (e.g., CBP Form 3299), a regulatory provision, or an in-bond number used to release the shipment.
M	X405 373 Date M DT 8/8 Date expressed as CCYYMMDD Date of posting.
X406	337 Time X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) Time of Posting will be in Eastern Standard/Daylight time.

M	X407	35	Disposition Code Code advising the carrier or port authority about postings to a bill of lading A code advising the carrier, MVOCC, NVOCC, port authority, service bureau, or agent of the posting action taken on a bill of lading. Refer to the CAMIR Appendix D for valid codes.	M	ID 1/2
Not Used	X408	598	Bill of Lading/Waybill Number	X	AN 1/12
M	X409	140	Standard Carrier Alpha Code Standard Carrier Alpha Code SCAC of the Bill Issuer. X401 + X409 comprise the unique bill of lading identifier.	M	ID 2/4
Not Used	X410	140	Standard Carrier Alpha Code	X	ID 2/4
	X411	206	Equipment Initial Prefix or alphabetic part of an equipment unit's identifying number	O	AN ¼
	X412	207	Equipment Number Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	O	AN 1/10
	X413	310	Location Identifier Code which identifies a specific location CBP Port of processing - Refer to Census Schedule D in CAMIR Appendix E for valid codes. - CBP only returns 4 numeric characters in this field.	O	AN 1/30
	X414	310	Location Identifier Code which identifies a specific location Facilities Information Resources Management Systems (FIRMS) code related to Permit To Transfer (PTT) move.	O	AN 1/30
	X415	128	Reference Identification Qualifier Code qualifying the Reference Identification 8S Broker Identification Future Use BN Booking Number FC Filer Code Issued by Customs OB Ocean Bill of Lading	X	ID 2/3
	X416	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier For Reference Identifier Qualifier "8S", the Reference Identifier is the filer code of the broker initiating an in-bond move against the bill. - Future Use For Reference Identifier Qualifier "OB", the Reference Identifier is the Master bill of lading number. The MVOCC bill of lading will be reported on all NVOCC bill types. For Reference Identifier Qualifier "BN", the Reference Identifier is the Booking Number provided in the inbound manifest.	X	AN 1/30
Not Used	X417	623	Time Code	O	ID 1/2

X418	310	Location Identifier Code which identifies a specific location CBP Port of Termination for in-bond shipments. Refer to Census Schedule D in CAMIR Appendix E for valid codes.	O AN 1/30
X419	310	Location Identifier Code which identifies a specific location Foreign Port of Foreign Destination for Transportation & Exportation (T&E-62) or Immediate Export (IE-63) in-bond shipments. This data field is null for IT (61) entries. Refer to Census Schedule K in CAMIR Appendix F for valid codes.	O AN 1/30
X420	1073	Yes/No Condition or Response Code Code indicating a Yes or No condition or response 'Y' is used when a HOLD disposition code in data element X407 is re-sent as a result of a change in Port of Discharge or Vessel Name.	O ID 1/1
		Y Yes	

Segment: **K1** Remarks
Position: 070
Loop: X4 Optional
Level:
Usage: Optional
Max Use: 4
Purpose: To transmit information in a free-form format for comment or special instruction
Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	K101	61	Free-Form Message Free-form information	M AN 1/30
Not Used	K102	61	Free-Form Message	O AN 1/30

Segment: N7 Equipment Details
Position: 081
Loop: X4 Optional
Level:
Usage: Optional
Max Use: 999
Purpose: To identify the equipment
Syntax Notes: 1 If either N703 or N704 is present, then the other is required.
2 If either N705 or N716 is present, then the other is required.
3 If either N708 or N709 is present, then the other is required.
Semantic Notes: 1 N712 is the owner of the equipment.
2 N723 is the operator or carrier of the rights of the equipment.
Notes: Values will be returned if sent in the inbound manifest.

Data Element Summary

Ref.	Data			
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
	N701	206	Equipment Initial	O AN 1/4
			Prefix or alphabetic part of an equipment unit's identifying number	
			Container Prefix from inbound manifest.	
M	N702	207	Equipment Number	M AN 1/10
			Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	
			Container Number from inbound manifest.	
Not Used	N703	81	Weight	X R 1/10
Not Used	N704	187	Weight Qualifier	X ID 1/2
Not Used	N705	167	Tare Weight	X N0 3/8
Not Used	N706	232	Weight Allowance	O N0 2/6
Not Used	N707	205	Dunnage	O N0 1/6
Not Used	N708	183	Volume	X R 1/8
Not Used	N709	184	Volume Unit Qualifier	X ID 1/1
Not Used	N710	102	Ownership Code	O ID 1/1
Not Used	N711	40	Equipment Description Code	O ID 1/2
Not Used	N712	140	Standard Carrier Alpha Code	O ID 2/4
Not Used	N713	319	Temperature Control	O AN 3/6
Not Used	N714	219	Position	O AN 1/3
Not Used	N715	567	Equipment Length	O N0 4/5
Not Used	N716	571	Tare Qualifier Code	X ID 1/1
Not Used	N717	188	Weight Unit Code	O ID 1/1
Not Used	N718	761	Equipment Number Check Digit	O N0 1/1
Not Used	N719	56	Type of Service Code	O ID 1/2
Not Used	N720	65	Height	O R 1/8
Not Used	N721	189	Width	O R 1/8
Not Used	N722	24	Equipment Type	O ID 1/4
Not Used	N723	140	Standard Carrier Alpha Code	O ID 2/4
Not Used	N724	301	Car Type Code	O ID 1/4

Segment: **SE** Transaction Set Trailer
Position: 100
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data	
	<u>Des.</u>	<u>Element Name</u>	<u>Attributes</u>
M	SE01	96 Number of Included Segments	M N0 1/10
		Total number of segments included in a transaction set including ST and SE segments	
M	SE02	329 Transaction Set Control Number	M AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

Segment: **GE** Functional Group Trailer
Position: 105
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of a functional group and to provide control information
Syntax Notes:
Semantic Notes: 1 The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	GE01	97	Number of Transaction Sets Included Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element M N0 1/6
M	GE02	28	Group Control Number Assigned number originated and maintained by the sender M N0 1/9

Segment: **IEA** Interchange Control Trailer
Position: 110
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element Name</u>		<u>Attributes</u>
M	IEA01	I16	Number of Included Functional Groups A count of the number of functional groups included in an interchange	M N0 1/5
M	IEA02	I12	Interchange Control Number A control number assigned by the interchange sender	M N0 9/9