

UN/EDIFACT Truck Manifest Implementation Guide

FAST Customs Manifest Response Status
Notification (CUSRES-SN)

June 2020



U.S. Customs and
Border Protection



CUSRES Customs Response Status Notification Message

Introduction:

This Customs Response Message (CUSRES) permits the transfer of data from a customs administration:

- to acknowledge the receipt of the message - to indicate whether the information received is correct or if there are errors (i.e. accepted without errors, accepted with errors, rejected, etc.) - to inform the sender of the status of the customs declaration (i.e. goods released, goods for examination, documents required, etc.) - to transmit additional information as agreed between parties (i.e. tax information, quantity information, etc.) - to respond to batched messages (i.e. CUSCAR).

Note: this message is not meant to replace the functionality of the CONTRL message.

Notes:

This is the U.S. Customs FAST implementation guideline to be used to provide pre-arrival, arrival, examination and release STATUS NOTIFICATIONS.

The status notifications described here are identified by the nine notification codes: SN002, SN003, SN004, SN006, SN009, SN010, SN021, SN022 and SN025. Each notification message contains and derives its meaning from exactly one of these code values, transmitted in d.e. 9321 of the ERC segment in either Segment Group 4 (position 0210) or Segment Group 13 (position 0630), but never in both. The conditions under which a number of other data elements are transmitted are described in terms of these notification codes.

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
Must Use	0010	UNH	Message Header	M	1		
Must Use	0020	BGM	Beginning of Message	M	1		
Must Use	0030	DTM	Date/Time/Period	C	9		
Must Use	0050	TDT	Details of Transport	C	9		
Dep	0060	LOC	Place/Location Identification	C	99		
Dep	0180		Segment Group 4: ERP-ERC-FTX	C		99	
Must Use	0190	ERP	Error Point Details	M	1		
Must Use	0210	ERC	Application Error Information	C	99		
Dep	0220	FTX	Free Text	C	99		
Dep	0270		Segment Group 6: DOC-RFF-LOC-DTM-SG13	C		9999	
Must Use	0280	DOC	Document/Message Details	M	1		
Must Use	0300	RFF	Reference	C	9		
Dep	0340	LOC	Place/Location Identification	C	9		
Dep	0350	DTM	Date/Time/Period	C	9		
Dep	0600		Segment Group 13: ERP-ERC-FTX	C		9999	
Must Use	0610	ERP	Error Point Details	M	1		
Must Use	0630	ERC	Application Error Information	C	9999		
Dep	0640	FTX	Free Text	C	9		
Must Use	0690	UNT	Message Trailer	M	1		

Table of Changes

Revision#	Date of Change	Section(s) Affected	Brief Description of Change
2	June 2020	All	Removed obsolete notification codes: SN005, SN007, SN008, SN016 – SN019, SN023, SN024, SN026 and SN027
1	December 2002		Original NCAP/FAST document.

FAST Release Process Status Notifications

Segment: UNH Message Header

Position: 0010
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment starting and uniquely identifying a message. The message type code for the Customs response message is CUSRES.
 Note: Customs response messages conforming to this document must contain the following data in segment UNH, composite S009:
 Data element 0065 CUSRES 0052 D 0054 00B 0051 UN

Dependency Notes:
Semantic Notes:
Comments:
Notes:

Must be used in FAST.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	0062		MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender. Unique sender reference number.	M 1 an..14
Must Use	S009		MESSAGE IDENTIFIER Identification of the type, version etc. of the message being interchanged.	M 1
Must Use		0065	Message type identifier Code identifying a type of message and assigned by its controlling agency. CUSRES Customs response message	M an..6
Must Use		0052	Message type version number Version number of a message type. D Draft version/UN/EDIFACT Directory	M an..3
Must Use		0054	Message type release number Release number within the current message type version number (0052). 00B Release 2000 - B	M an..3
Must Use		0051	Controlling agency Code identifying the agency controlling the specification, maintenance and publication of the message type. UN UN/CEFACT	M an..2

FAST Release Process Status Notifications

Segment: **BGM** Beginning of Message
Position: 0020
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the type and the reference number of the message to which the CUSRES is a response.

Dependency Notes:

Semantic Notes:

Comments:

Notes: Must be used in FAST.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C002		DOCUMENT/MESSAGE NAME Identification of a type of document/message by code or name. Code preferred.	C 1
Must Use		1001	Document name code Code specifying the document name. 34 Cargo status	C an..3
Must Use	C106		DOCUMENT/MESSAGE IDENTIFICATION Identification of a document/message by its number and eventually its version or revision. All pre-arrival, arrival, examination and release status notifications will include a Trip Number in this composite.	C 1
Must Use		1004	Document identifier To identify a document. Carrier Trip Number: a unique number assigned by the carrier issuing the manifest to each movement of a conveyance. The Carrier Trip Number is the concatenation of 1. The account number of the carrier issuing the manifest, an4: SCAC. The SCAC must identify the carrier actually transporting the merchandise and responsible for the operation of the conveyance; and 2. Trip Number (an2..10) assigned by the carrier issuing the manifest. May not be repeated for 1 year.	C an..35
Must Use	1225		MESSAGE FUNCTION CODE Code indicating the function of the message. 55 Notification only	C 1 an..3

FAST Release Process Status Notifications

Segment: **DTM** Date/Time/Period
Position: 0030
Group:
Level: 1
Usage: Conditional (Required)
Max Use: 9
Purpose: A segment identifying the relevant dates and times in the message. For example, payment date.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Required for FAST. Every status notification will include one occurrence of this segment with d.e. 2005 = 137 as a "timestamp."

For status notification SN009, a second occurrence of this segment will be transmitted with d.e. 2005 = 178.

For status notification SN022, a second occurrence of this segment will be transmitted with d.e. 2005 = 163.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C507		DATE/TIME/PERIOD Date and/or time, or period relevant to the specified date/time/period type.	M 1
Must Use		2005	Date or time or period function code qualifier Code qualifying the function of a date, time or period. Code 163 will be used to identify the time a conveyance or shipment is selected for cargo examination.	M an..3
			137 Document/message date/time	
			163 Processing start date/time	
			178 Arrival date/time, actual	
Must Use		2380	Date or time or period value The value of a date, a date and time, a time or of a period in a specified representation. Eastern Standard Time or Eastern Daylight-Savings Time; 24-hour clock.	C an..35
Must Use		2379	Date or time or period format code Code specifying the representation of a date, time or period.	C an..3
			203 CCYYMMDDHHMM	

FAST Release Process Status Notifications

Segment: **TDT** Details of Transport
Position: 0050
Group:
Level: 1
Usage: Conditional (Required)
Max Use: 9
Purpose: A segment to specify any means of transport that is related to all information at the lower level of the message.

Dependency Notes:

Semantic Notes:

Comments:

Notes: This segment is used to report the identity of the carrier actually transporting the cargo. This segment will be transmitted for all pre-arrival, arrival, examination and release status notifications.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	8051		TRANSPORT STAGE CODE QUALIFIER Code qualifying a specific stage of transport. 20 Main-carriage transport	M 1 an..3
Must Use	C040		CARRIER Identification of a carrier by code and/or by name. Code preferred.	C 1
Must Use		3127	Carrier identifier To identify a carrier. SCAC (an4) of carrier actually transporting the cargo. This value is taken from the first four characters of the Trip Number reported in d.e.1004 in the BGM segment of CUSCAR.	C an..17

FAST Release Process Status Notifications

Segment: **LOC** Place/Location Identification
Position: 0060
Group:
Level: 1
Usage: Conditional (Dependent)
Max Use: 99
Purpose: A segment to identify a country and/or place and/or location information related to the whole message.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

This conditional segment will be used to transmit the Port of Arrival, Port of Release or Port of Examination, depending on the type of status notification.

For status notification SN022, the Port of Examination (d.e. 3227 = 43) will be transmitted.

For status notification SN009, the Port of Arrival (d.e. 3227 = 87) will be transmitted.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	3227		LOCATION FUNCTION CODE QUALIFIER Code identifying the function of a location. 43 Place of Customs examination 87 Place/port of conveyance initial arrival	M 1 an..3
Must Use	C517		LOCATION IDENTIFICATION Identification of a location by code or name.	C 1
Must Use		3225	Location name code Code specifying the name of the location. Schedule D port code (an4)	C an..25

FAST Release Process Status Notifications

Group: **ERP** Segment Group 4: Error Point Details
Position: 0180
Group:
Level: 1
Usage: Conditional (Dependent)
Max Use: 99
Purpose: A group of segments identifying an application error condition within a message to which the CUSRES is a response.
Notes: Use of this Segment Group is conditional. It will be used to provide information about the status of Manifest data.
 Segment Group 4 will be transmitted for status notifications SN003, SN007, SN009, and SN022.

Segment Summary

	Pos.	Seg.	Name	Req.	Max.	Group:
	No.	ID		Des.	Use	Repeat
Must Use	0190	ERP	Error Point Details	M	1	
Must Use	0210	ERC	Application Error Information	C	99	
Dep	0220	FTX	Free Text	C	99	

FAST Release Process Status Notifications

Segment: **ERP** Error Point Details
Position: 0190 (Trigger Segment)
Group: Segment Group 4 (Error Point Details) Conditional (Dependent)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the location of an application error within the referenced message.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C701		ERROR POINT DETAILS Indication of the point of error in a message.	C 1
Must Use		1049	Message section code Code specifying a section of a message. 1 Heading section	C an..3

FAST Release Process Status Notifications

Segment: **ERC** **Application Error Information**
Position: 0210
Group: Segment Group 4 (Error Point Details) Conditional (Dependent)
Level: 2
Usage: Conditional (Required)
Max Use: 99
Purpose: A segment identifying the type of application errors within a message.
Dependency Notes:
Semantic Notes:
Comments:
Notes: This segment will be used to transmit Customs-assigned Status Notification message codes for notifications pertaining to Manifest data.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C901		APPLICATION ERROR DETAIL Code assigned by the recipient of a message to indicate a data validation error condition.	M 1
Must Use		9321	Application error code Code specifying an application error. SN003 Manifest deleted by Customs SN009 Conveyance arrival processed by Customs SN022 Conveyance has been designated for examination	M an..8
		1131	Code list identification code 109 Customs indicator	C an..17
		3055	Code list identification code 111 U.S. Customs and Border Protection	C an..3

FAST Release Process Status Notifications

Segment: **FTX** Free Text
Position: 0220
Group: Segment Group 4 (Error Point Details) Conditional (Dependent)
Level: 2
Usage: Conditional (Dependent)
Max Use: 99
Purpose: A segment to provide explanation and/or supplementary information related to the specified application error.

Dependency Notes:

Semantic Notes:

Comments:

Notes: Use of this segment is conditional. It will be used for U. S. Customs remarks, if any.

This segment may be transmitted only when d.e. 9321 in the preceding ERC segment (pos. 0210) is equal to SN003.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
				M	an..
Must Use	4451		TEXT SUBJECT CODE QUALIFIER Code qualifying the subject of the text. AAH Customs information	M	1 an..3
Must Use	C108		TEXT LITERAL Free text; one to five lines. The total number of characters sent in this composite will not exceed 256.	C	1
Must Use		4440	Free text value Free form text. U. S. Customs remarks (an..64)	M	an..512
Dep		4440	Free text value Free form text. Additional U. S. Customs remarks (an..64), if needed.	C	an..512
Dep		4440	Free text value Free form text. Additional U. S. Customs remarks (an..64), if needed.	C	an..512
Dep		4440	Free text value Free form text. Additional U. S. Customs remarks (an..64), if needed.	C	an..512

FAST Release Process Status Notifications

Group: **DOC** Segment Group 6: Document/Message Details
Position: 0270
Group:
Level: 1
Usage: Conditional (Dependent)
Max Use: 9999
Purpose: A group of segments specifying goods item details including status of goods, related references, package identification, details of transport, relevant parties, contacts, dates and/or times and location, general indicators, measurements, documentary requirements, monetary amounts, currencies and item taxes, fees and duties.
Notes: Use of this segment group is conditional.

Segment Group 6 will always be used for status notifications SN002, SN004, SN006, SN010, SN021, and SN025.

Segment Group 6 will not be used for other status notifications.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	No.	ID	Name	Des.	Use	Repeat
Must Use	0280	DOC	Document/Message Details	M	1	
Must Use	0300	RFF	Reference	C	9	
Dep	0340	LOC	Place/Location Identification	C	9	
Dep	0350	DTM	Date/Time/Period	C	9	
	0600		Segment Group 13: Error Point Details	C		9999

FAST Release Process Status Notifications

Segment: **DOC** Document/Message Details
Position: 0280 (Trigger Segment)
Group: Segment Group 6 (Document/Message Details) Conditional (Dependent)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify the master bill number reported in a multi-consignment message. This segment can also be used to identify the Customs declaration where the CUSRES is responding to multiple declarations.

Dependency Notes:

Semantic Notes:

Comments:

Notes: In FAST this segment is used to report the Pro-Bill Number that identifies a shipment.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C002		DOCUMENT/MESSAGE NAME Identification of a type of document/message by code or name. Code preferred.	M 1
Used		1001	Document name code Code specifying the document name. 34 Cargo status	C an..3
Must Use	C503		DOCUMENT/MESSAGE DETAILS Identification of document/message by number, status, source and/or language.	C 1
Must Use		1004	Document identifier To identify a document. Pro-Bill Number: a unique number used by the reporting trade participant(s) to identify the shipment or consolidation. The Pro-Bill Number is the concatenation of 1. the account number of the carrier issuing the Pro-Bill, an4: SCAC; and 2. an..12: Pro-Bill Number assigned by the carrier.	C an..35
Must Use		1373	Document status code Code specifying the status of a document. 5 Information only	C an..3

FAST Release Process Status Notifications

Segment: **RFF** Reference
Position: 0300
Group: Segment Group 6 (Document/Message Details) Conditional (Dependent)
Level: 2
Usage: Conditional (Required)
Max Use: 9
Purpose: A segment identifying a particular reference, e.g. house of bill number, master bill number.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Use of this segment is conditional. Up to three occurrences may be transmitted as follows:

One occurrence of this segment is returned with the Trader Reference Number that was sent in the corresponding CUSCAR Segment Group 8 RFF segment (CUSCAR pos.0380).

For Status Notifications SN010 and SN021; SN008 when the shipment is canceled following arrival; and SN025 when sent they are sent to Entry Filers; one occurrence of this segment will be transmitted to report the U. S. Customs Entry Number.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
	Must Use	C506		REFERENCE	M
			Identification of a reference.		
Must Use		1153	Reference code qualifier	M	an..3
			Code qualifying a reference.		
			ABE	Declarant's reference number	
			ABT	Customs declaration number	
			SI	SID (Shipper's identifying number for shipment)	
Must Use		1154	Reference identifier	C	an..70
			Identifies a reference.		

When d.e. 1153 = SI (Shipper's identifying number for shipment), the Trader Reference Number, as reported in CUSCAR Segment Group 8 RFF d.e. 1154, is returned. The Trader Reference Number (an..35) is provided by the shipper to be passed through to the entry filer on the Customs download. Defined by originator. This value is returned unaltered with processing results. Edits have not been performed on this field and processing has not been controlled in the Customs system on the basis of this data element.

When d.e. 1153 = ABT (Customs declaration number), this field is used to report the Customs Entry Number assigned to the shipment referenced in the preceding DOC segment. The Customs Entry Number is the concatenation of a USCS Filer Code (an3), the Entry Number (an7) and a check digit (n1). The algorithm for calculation of the check digit is included as an appendix.

FAST Release Process Status Notifications

Segment: **LOC** Place/Location Identification
Position: 0340
Group: Segment Group 6 (Document/Message Details) Conditional (Dependent)
Level: 2
Usage: Conditional (Dependent)
Max Use: 9
Purpose: A segment identifying the places relevant to the item, which is different from the places identified at header level. For example, customs house of entry, warehouse, etc.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

This conditional segment will be used to transmit the Port of Arrival, Port of Examination or Port of Entry, depending on the type of status notification.

For status notification SN025, the Port of Examination (d.e. 3227 = 43) will be transmitted.

For status notification SN021, the Port of Release (d.e. 3227 = 23) will be transmitted.

For status notification SN010, the Port of Arrival (d.e. 3227 = 87) will be transmitted.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	3227		LOCATION FUNCTION CODE QUALIFIER Code identifying the function of a location.	M 1 an..3
			23 Port of release	
			43 Place of Customs examination	
			87 Place/port of conveyance initial arrival	
Must Use	C517		LOCATION IDENTIFICATION Identification of a location by code or name.	C 1
Used		3225	Location name code Code specifying the name of the location.	C an..25
			Schedule D port code (an4)	

FAST Release Process Status Notifications

Segment: **DTM** Date/Time/Period
Position: 0350
Group: Segment Group 6 (Document/Message Details) Conditional (Dependent)
Level: 2
Usage: Conditional (Dependent)
Max Use: 9
Purpose: A segment identifying necessary dates.
Dependency Notes:
Semantic Notes:
Comments:
Notes:

Use of this segment is conditional.

For status notification SN025 this segment will be transmitted with d.e. 2005 = 163.

For status notifications SN010, this segment will be transmitted with d.e. 2005 = 178.

For status notification SN021 this segment will be transmitted with d.e. 2005 = 204.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C507		DATE/TIME/PERIOD Date and/or time, or period relevant to the specified date/time/period type.	M 1
Must Use		2005	Date or time or period function code qualifier Code qualifying the function of a date, time or period. Code 163 will be used to identify the time a conveyance or shipment is selected for cargo examination.	M an..3
			163 Processing start date/time	
			178 Arrival date/time, actual	
			204 Release date (Customs)	
Must Use		2380	Date or time or period value The value of a date, a date and time, a time or of a period in a specified representation. Eastern Standard Time or Eastern Daylight-Savings Time; 24-hour clock.	C an..35
Must Use		2379	Date or time or period format code Code specifying the representation of a date, time or period.	C an..3
			203 CCYYMMDDHHMM	

FAST Release Process Status Notifications

Group: **ERP** Segment Group 13: Error Point Details
Position: 0600
Group: Segment Group 6 (Document/Message Details) Conditional (Dependent)
Level: 2
Usage: Conditional (Dependent)
Max Use: 9999
Purpose: A group of segments identifying an application error condition related only to a part of the message.
Notes: Use of this segment group is conditional. It will be used to provide information about the status of specific shipments.
 Segment Group 12 will be transmitted for status notifications SN010, SN021, and SN025.

Segment Summary

	Pos.	Seg.	Name	Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>		<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
Must Use	0610	ERP	Error Point Details	M	1	
Must Use	0630	ERC	Application Error Information	C	9999	
Dep	0640	FTX	Free Text	C	9	

FAST Release Process Status Notifications

Segment: **ERP** Error Point Details
Position: 0610 (Trigger Segment)
Group: Segment Group 13 (Error Point Details) Conditional (Dependent)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the location of an application error.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C701		ERROR POINT DETAILS Indication of the point of error in a message.	C 1
Must Use		1049	Message section code Code specifying a section of a message. 2 Detail section	C an..3

FAST Release Process Status Notifications

Segment: **ERC** **Application Error Information**
Position: 0630
Group: Segment Group 13 (Error Point Details) Conditional (Dependent)
Level: 3
Usage: Conditional (Required)
Max Use: 9999
Purpose: A segment identifying the type of application errors.
Dependency Notes:
Semantic Notes:
Comments:
Notes: This segment will be used to transmit Customs-assigned Status Notification message codes for notifications pertaining to shipment data.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	C901		APPLICATION ERROR DETAIL Code assigned by the recipient of a message to indicate a data validation error condition.	M 1
Must Use		9321	Application error code Code specifying an application error. SN002 Shipment now on file SN004 Shipment deleted by Customs SN006 Shipment deleted by trade SN010 Conveyance arrival processed by Customs SN021 Shipment released SN025 Shipment has been designated for examination	M an..8
		1131	Code list identification code 109 Customs indicator	C an..17
		3055	Code list identification code 111 U.S. Customs and Border Protection	C an..3

FAST Release Process Status Notifications

Segment: **FTX** Free Text
Position: 0640
Group: Segment Group 13 (Error Point Details) Conditional (Dependent)
Level: 3
Usage: Conditional (Dependent)
Max Use: 9
Purpose: A segment to provide explanation and/or supplementary information related to the specified application error.

Dependency Notes:

Semantic Notes:

Comments:

Notes: Use of this segment is conditional. It will be used for U. S. Customs remarks, if any.
 This segment may be transmitted only when d.e. 9321 in the preceding ERC segment (pos. 0630) is equal to SN004.

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	4451		TEXT SUBJECT CODE QUALIFIER Code qualifying the subject of the text. AAH Customs information	M 1 an..3
Must Use	C108		TEXT LITERAL Free text; one to five lines. The total number of characters sent in this composite will not exceed 256.	C 1
Must Use		4440	Free text value Free form text. U. S. Customs remarks (an..64)	M an..512
Dep		4440	Free text value Free form text. Additional U. S. Customs remarks (an..64), if needed.	C an..512
Dep		4440	Free text value Free form text. Additional U. S. Customs remarks (an..64), if needed.	C an..512
Dep		4440	Free text value Free form text. Additional U. S. Customs remarks (an..64), if needed.	C an..512

FAST Release Process Status Notifications

Segment: **UNT** Message Trailer
Position: 0690
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment ending a message, giving the total number of segments in the message (including the UNH & UNT) and the control reference number of the message.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	0074		NUMBER OF SEGMENTS IN A MESSAGE Control count of number of segments in a message.	M 1 n..6
Must Use	0062		MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender. Same as UNH d.e. 0062.	M 1 an..14