

MEDPID Person Identification Message

Introduction:

The message is used to pass detailed information on persons from, for instance, health insurance agencies to local government in order to verify, add, change or delete person related data in information systems. The message may also be used to transfer person information between various application systems within one organisation (i.e. hospital).

Usually detailed person related information for one or more persons is sent from one organisation to another who will acknowledge the message that is sent and proceed with changing, adding or deleting person data in their own files or use the transferred information to check their own registers and send a verification message back.

Notes:

The following notes are applicable to Customs and Border Protection (CBP) use only. This implementation guide adapts the MEDPID from a medical industry message to an Accounts Management message for the Trade and CBP use.

This Accounts Management message is to be used as an Implementation Guide to exchange account data between the Trade and Customs and Border Protection. The Trade can use this message to pre-register crew, conveyance, and equipment information for account setup.

To add crew, conveyance, and equipment information, an ACE ID or the following information is required:

Add Crew	Add Conveyance	Add Equipment
SCAC	SCAC	SCAC
First, last, and middle name (if middle name exists)	Conveyance Type	Equipment Type
Gender	Conveyance number/ID	Equipment number/ID
Date of Birth	VIN	License plate with state/province, country
Nationality	License plate with state/province, country	
Driver's License, State/Province and Country, Hazmat Endorsement	Transponder Number if it exists	
Provide the appropriate information: Laser visa/Border crossing card number Passport number with country Permanent resident card number with country U.S. visa number		

To deactivate information, the following are required:

Deactivate Crew	Deactivate Conveyance	Deactivate Equipment
ACE ID	ACE ID	ACE ID
Driver's license, state/province and country	Conveyance number/ID	Equipment number/ID

To modify information, the fields to deactivate plus only the changes are required.

Special Messaging constraints:

MEDPID for Customs and Border Protection

Limit messages to one category (crew, conveyance, or equipment) per message transmission. Multiple instances of crew, conveyance or equipment can be sent in a message, but do not mix categories in one message.

Limit one Interchange (UNB-UNZ) per message transmission.

Limit one message Group (UNG-UNE) per message transmission. However, to include UNG-UNE are strictly optional.

All elements included in this Guideline are considered usable unless identified otherwise in the element level gray notes.

Element delimiters used in this transaction should be + (plus).

Segment delimiter used in this transaction should be ‘ (single apostrophe).

A segment delimiter should be the last byte of data in the message transmission data stream.

Maximum allowable message transmission size is 4 megabytes (4194304 bytes) of data.

Alphanumeric fields should contain a sequence of any printable characters. Significant characters should be left justified. Leading spaces, when they occur, are assumed to be significant. Trailing spaces should not be included.

Definitions:

Conveyance Number/ID is the unique identification of conveyance. This is the vessel name or Lloyds Register of ships code, call sign & vessel flag, aircraft tail number, railroad engine number, or truck tractor license plate number.

Equipment Number is the number shown on the equipment including SCAC. This is the container number, railcar number, trailer number, or trailer license plate.

VIN is the vehicle identification number.

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
0020	UNB	Interchange Header	M	1		
0010	UNH	Message Header	M	1		
0020	BGM	Beginning of Message	M	1		
0060		Segment Group 1: PNA-ADR-CTA-COM-RFF-LAN	M		99	
0070	PNA	Party Name	M	1		
0130		Segment Group 2: GIS-PNA-ADR-RFF-DTM-IHC-NAT-FTX-LAN-HAN-LOC-FII-CTA-SG3-SG4-SG5	M		9999	
0140	GIS	General Indicator	M	1		
0150	PNA	Party Name	C	1		
0170	RFF	Reference	C	99		
0180	DTM	Date/Time/Period	C	9		
0190	IHC	Person Characteristic	C	9		
0200	NAT	Nationality	C	9		
0240	LOC	Place/Location Identification	C	9		
0270		Segment Group 3: PDI-DTM	C		9	
0280	PDI	Person Demographic Information	M	1		
0430		Segment Group 6: AUT-DTM	C		9	
0460	UNT	Message Trailer	M	1		

Segment: **UNB** Interchange Header
Position: 0020
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To identify an interchange.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
S001		SYNTAX IDENTIFIER	M 1
		Identification of the agency controlling the syntax, the syntax level and version number, and the service code directory.	
	0001	Syntax identifier	M a4
		Coded identification of the agency controlling the syntax, and of the character repertoire used in an interchange. Always "UNOA" for UN/ECE level A	
	0002	Syntax version number	M an..1
		Version number of the syntax. Always "4" for Version 4	
	0080	Service code list directory version number	C an..6
		Version number of the service code list directory.	
	0133	Character encoding, coded	C an..3
		Coded identification of the character encoding used in the interchange.	
S002		INTERCHANGE SENDER	M 1
		Identification of the sending of the interchange.	
	0004	Interchange sender identification	M an..35
		Name or coded identification of the sender of the interchange. Enter SCAC	
	0007	Identification code qualifier	C an..4
		Qualifier referring to the identification code.	
	0008	Interchange sender internal identification	C an..35
		Identification (for example, a division, branch or computer system/process) specified by the sender of interchange, to be included if agreed, by the recipient in response interchanges, to facilitate internal routing.	
0042	Interchange sender internal sub-identification	C an..35	
	Sub-level of sender internal identification, when further sub-level identification is required.		
S003		INTERCHANGE RECIPIENT	M an..35
		Identification of the recipient of the interchange.	
	0010	Interchange recipient identification	M an..35
		Name or coded identification of the recipient of the interchange. "CBP-ACE" for production "CBP-ACE-TEST" for test	
	0007	Identification code qualifier	C an..4
	Qualifier referring to the identification code.		
0014	Interchange recipient internal identification	C an..35	

		Identification (for example, a division, branch or computer system/process) specified by the sender of interchange, to be included if agreed, by the sender in response interchanges, to facilitate internal routing.		
	0046	Interchange recipient internal sub-identification	C	an..35
		Sub-level of recipient internal identification, when further sub-level identification is required.		
S004		DATE AND TIME OF PREPARATION	M	1
		Date of time of preparation of the interchange.		
	0017	Date	M	n8
		Local date when an interchange or a group was prepared		
		Enter local date in CCYYMMDD format		
	0019	Time	M	n4
		Local time of day when an interchange or a group was prepared.		
		Enter local time in HHMM format where HH is 00-23 and MM is 00-59		
0020		INTERCHANGE CONTROL REFERENCE	M	1 an..14
		Unique reference assigned by the sender to an interchange.		
S005		RECIPIENT REFERENCE/PASSWORD DETAILS	C	1
		Reference or password as agreed between the communicating partners.		
		Enter reference		
	0022	Recipient reference/password	M	an..14
		Reference or password to the recipient's system or to a third party network as specified in the partner's interchange agreement.		
	0025	Recipient reference/password qualifier	C	an2
		Qualifier for the recipient's reference or password.		
0026		APPLICATION REFERENCE	C	an..14
		Identification of the application area assigned by the sender, to which the messages in the interchange relate e.g. the message type, if all the messages in the interchange are of the same type.		
0029		PROCESSING PRIORITY CODE	C	1 a1
		Code determined by the sender requesting processing priority for the interchange.		
0031		ACKNOWLEDGEMENT REQUEST	C	1 n1
		Code requesting acknowledgement for the interchange.		
0032		INTERCHANGE AGREEMENT IDENTIFIER	C	an..35
		Identification by name or code of the type of agreement under which the interchange takes place.		
0035		TEST INDICATOR	C	1 n1
		Indication that the structural level containing the test indicator is a test.		

Segment: **UNH** Message Header
Position: 0010
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment starting and uniquely identifying a message. The message type code for the Person identification message is MEDPID.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
0062		MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender. Unique sender reference number.	M an..14
S009		MESSAGE IDENTIFIER Identification of the type, version etc. of the message being interchanged.	M
	0065	Message type identifier Code identifying a type of message and assigned by its controlling agency. MEDPID	M an..6
	0052	Message type version number Version number of a message type. Report "D" for Draft	M an..3
	0054	Message type release number Release number within the current message type version number (0052). 02A	M an..3
	0051	Controlling agency Code identifying the agency controlling the specification, maintenance and publication of the message type. Report "UN" for United Nations	M an..2
	0057	Association assigned code Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.	C an..6
0068		COMMON ACCESS REFERENCE Reference serving as a key to relate all subsequent transfers of data to the same business case or file.	C an..35
S010		STATUS OF THE TRANSFER Statement that the message is one in a sequence of transfers relating to the same topic.	C
	0070	Sequence message transfer number Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.	M n..2
	0073	First/last sequence message transfer indication Indication used for the first and last message in a sequence of the same type of message relating to the same topic.	C a1

Segment: **BGM** Beginning of Message
Position: 0020
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A segment for specifying message name and function.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
C002		DOCUMENT/MESSAGE NAME	C
		Identification of a type of document/message by code or name. Code preferred.	
	1001	Document/message name, coded	C an..3
		Document/message identifier expressed in code.	
	1131	Code list qualifier	C an..3
		Identification of a code list.	
C106	3055	Code list responsible agency, coded	C an..3
		Code identifying the agency responsible for a code list.	
	1000	Document/message name	C an..35
		Plain language identifier specifying the function of a document/message.	
		DOCUMENT/MESSAGE IDENTIFICATION	C
	Identification of a document/message by its number and eventually its version or revision.		
1225	1004	Document/message number	C an7
		Reference number assigned to the document/message by the issuer.	
	1056	Version	C an..9
		To specify the version number or name of an object.	
4343	1060	Revision number	C an..6
		To specify a revision number.	
		MESSAGE FUNCTION, CODED	M an1
		Code indicating the function of the message.	
		Always "9" for Original	
		RESPONSE TYPE, CODED	C an..3
		Code specifying the type of acknowledgment required or transmitted.	

Segment: **PNA** Party Name
Position: 0070 (Trigger Segment)
Group: Segment Group 1 (Party Name) Mandatory
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying name and identification of a communication party (i.e. sender and receiver), and other parties associated with the message.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Use of this Segment Group is mandatory.

DATA REQUIREMENTS:

It is used to report originator name. Please provide a party to contact with contact information in case of errors within this segment.

NOTES:

If more than 9999 crew, conveyance or equipment items needs to be sent, please send another MEDPID.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3035		PARTY QUALIFIER Code giving specific meaning to a party. Always "FY" for Current Sender	M an..3
C206		IDENTIFICATION NUMBER The identification of an object.	C
	7402	Identity number The number given to an object for its unique identification.	M an..35
	7405	Identity number qualifier Code specifying the type/source of identity number.	C an..3
	4405	Status, coded Provides information regarding a status.	C an..3
C082		PARTY IDENTIFICATION DETAILS Identification of a transaction party by code.	C
	3039	Party id. Identification Code identifying a party involved in a transaction.	M an..35
	1131	Code list qualifier Identification of a code list.	C an..3
	3055	Code list responsible agency, coded Code identifying the agency responsible for a code list.	C an..3
3403		NAME TYPE, CODED Code for type of name such as official name, alias.	C an..3
3397		NAME STATUS, CODED To specify the status of a name (such as current name).	C an..3
C816		NAME COMPONENT DETAILS To specify a name component.	M
	3405	Name component qualifier	M an..3

		To indicate a part of the name such as family name or given name.		
		Always “7” for Full Name		
	3398	Name component	M	an..70
		Part of party name such as family name or given name.		
		Enter name and phone number of person to contact in case of errors.		
	3401	Name component status, coded	C	an..3
		To specify the status of a name component.		
	3295	Name component original representation, coded	C	an..3
		To specify the alphabet originally used to represent the name.		
C816		NAME COMPONENT DETAILS	C	
		To specify a name component.		
	3405	Name component qualifier	M	an..3
		To indicate a part of the name such as family name or given name.		
	3398	Name component	C	an..70
		Part of party name such as family name or given name.		
	3401	Name component status, coded	C	an..3
		To specify the status of a name component.		
	3295	Name component original representation, coded	C	an..3
		To specify the alphabet originally used to represent the name.		
C816		NAME COMPONENT DETAILS	C	
		To specify a name component.		
	3405	Name component qualifier	M	an..3
		To indicate a part of the name such as family name or given name.		
	3398	Name component	C	an..70
		Part of party name such as family name or given name.		
	3401	Name component status, coded	C	an..3
		To specify the status of a name component.		
	3295	Name component original representation, coded	C	an..3
		To specify the alphabet originally used to represent the name.		
C816		NAME COMPONENT DETAILS	C	
		To specify a name component.		
	3405	Name component qualifier	M	an..3
		To indicate a part of the name such as family name or given name.		
	3398	Name component	C	an..70
		Part of party name such as family name or given name.		
	3401	Name component status, coded	C	an..3
		To specify the status of a name component.		
	3295	Name component original representation, coded	C	an..3
		To specify the alphabet originally used to represent the name.		

Segment: **GIS** General Indicator
Position: 0140 (Trigger Segment)
Group: Segment Group 2 (General Indicator) Mandatory
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: The segment is used to specify the type of data transferred and the subsequent action assumed to be taken by the receiver such as: - new data to be added (i.e. birth) - old data to be deleted (i.e. death) - modified data (i.e. marriage, address changes) - data to be verified.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Use of this segment is mandatory.

DATA REQUIREMENTS:

It is used to describe:
the action to be taken (add, deactivate, or modify) and
the type of information being provided (crew, conveyance, or equipment)

NOTES:

Please refer to the beginning of document to determine which fields are required for the transaction you are performing.

This loop can be repeated 9999 times. If more than 9999 crew, conveyance or equipment items needs to be sent, please send another MEDPID.

When Group 2 loops, it includes Group 3 loop.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
C529		PROCESSING INDICATOR	M
		Type of process indication.	
	7365	Processing indicator, coded	M an..3
		Identifies the value to be attributed to indicators required by the processing system.	
		Report the appropriate action to be taken.	
		23 Add	
		129 Deactivate	
		36 Modify	
	1131	Code list qualifier	C an..3
		Identification of a code list.	
3055	Code list responsible agency, coded	C an..3	
	Code identifying the agency responsible for a code list.		
7187	Process type identification	M an..17	
	Specification of a process or subprocess.		
	Report the type of information being provided.		
	1 Crew		
	2 Equipment		
	3 Conveyance		

Segment: **PNA** Party Name
Position: 0150
Group: Segment Group 2 (General Indicator) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment identifying a person.
Dependency Notes:
Semantic Notes:
Comments:
Notes:

Use of this segment is conditional.

CONDITIONS:

This segment is used to add crew or modify crew name.
 Otherwise, this segment is not used.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3035		PARTY QUALIFIER Code giving specific meaning to a party.	M an..3
		Always "FM" Crew member	
C206		IDENTIFICATION NUMBER The identification of an object.	C
	7402	Identity number The number given to an object for its unique identification.	M an..35
	7405	Identity number qualifier Code specifying the type/source of identity number.	C an..3
	4405	Status, coded Provides information regarding a status.	C an..3
C082		PARTY IDENTIFICATION DETAILS Identification of a transaction party by code.	C
	3039	Party id. identification Code identifying a party involved in a transaction.	M an..35
	1131	Code list qualifier Identification of a code list.	C an..3
	3055	Code list responsible agency, coded Code identifying the agency responsible for a code list.	C an..3
3403		NAME TYPE, CODED Code for type of name such as official name, alias.	C an..3
3397		NAME STATUS, CODED To specify the status of a name (such as current name).	C an..3
C816		NAME COMPONENT DETAILS To specify a name component.	M
		Enter crew first name in this component.	
	3405	Name component qualifier To indicate a part of the name such as family name or given name.	M an..3
		2 First Name	
	3398	Name component	M an..70

		Part of party name such as family name or given name.	
		Report the crew first name. First 40 characters will be accepted. The rest will be truncated.	
	3401	Name component status, coded	C an..3
		To specify the status of a name component.	
	3295	Name component original representation, coded	C an..3
		To specify the alphabet originally used to represent the name.	
C816		NAME COMPONENT DETAILS	C
		To specify a name component.	
		Enter crew full middle name in this component.	
		A full middle name is mandatory for anyone who has a middle name.	
	3405	Name component qualifier	M an..3
		To indicate a part of the name such as family name or given name.	
		7 Full Middle Name	
	3398	Name component	M an..70
		Part of party name such as family name or given name.	
		Report the crew full middle name. First 40 characters will be accepted. The rest will be truncated.	
	3401	Name component status, coded	C an..3
		To specify the status of a name component.	
	3295	Name component original representation, coded	C an..3
		To specify the alphabet originally used to represent the name.	
C816		NAME COMPONENT DETAILS	M
		To specify a name component.	
		Enter crew last name in this component.	
	3405	Name component qualifier	M an..3
		To indicate a part of the name such as family name or given name.	
		1 Last Name	
	3398	Name component	M an..70
		Part of party name such as family name or given name.	
		Report the crew last name. First 40 characters will be accepted. The rest will be truncated.	
	3401	Name component status, coded	C an..3
		To specify the status of a name component.	
	3295	Name component original representation, coded	C an..3
		To specify the alphabet originally used to represent the name.	
C816		NAME COMPONENT DETAILS	C
		To specify a name component.	
	3405	Name component qualifier	M an..3
		To indicate a part of the name such as family name or given name.	
	3398	Name component	C an..70
		Part of party name such as family name or given name.	
	3401	Name component status, coded	C an..3
		To specify the status of a name component.	
	3295	Name component original representation, coded	C an..3
		To specify the alphabet originally used to represent the name.	
C816		NAME COMPONENT DETAILS	C

MEDPID for Customs and Border Protection

	To specify a name component.		
3405	Name component qualifier	M	an..3
	To indicate a part of the name such as family name or given name.		
3398	Name component	C	an..70
	Part of party name such as family name or given name.		
3401	Name component status, coded	C	an..3
	To specify the status of a name component.		
3295	Name component original representation, coded	C	an..3
	To specify the alphabet originally used to represent the name.		

Segment: **RFF** Reference
Position: 0170
Group: Segment Group 2 (General Indicator) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to specify alternate identification numbers of the actual person.
Dependency Notes:
Semantic Notes:
Comments:
Notes:

Use of this segment is mandatory.

DATA REQUIREMENTS:

For crew, it is used to report the following data:

- ACE ID
- Standard Carrier Alpha Code (SCAC)
- CDL/Commercial driver's license (does not include place of registration)
- Driver's license
- Laser visa/Border crossing card number
- Military ID document
- Passport number
- Permanent resident card number (does not include place of registration)
- U.S. passport card number
- NEXUS card
- U.S. Alien registration card
- Permanent resident card 1998-2003
- Visa non-immigrant
- SENTRI card
- U.S. merchant mariner document ID
- Native American Indian/INAC
- Citizenship document
- Other travel document ID
- DHS re-entry permit
- DHS refugee travel document
- Visa immigrant
- EDL/Enhanced driver's license
- Hazmat endorsement (Yes/No)

For equipment, it is used to report the following data:

- ACE ID
- Standard Carrier Alpha Code (SCAC)
- Equipment number/ID
- License plate number (does not include place of registration)

For conveyance, it is used to report the following data:

- ACE ID
- Standard Carrier Alpha Code (SCAC)
- Conveyance number/ID
- VIN number
- Transponder identification number
- License plate number (does not include place of registration)

NOTES:

CDL, EDL, Driver’s license, Permanent resident card, and license plate registration state and country are reported in LOC Segment, position 0240.

The first four license plates will be accepted.

Please refer to the beginning of document to determine which fields are required for the transaction you are performing.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
C506		REFERENCE	M
		Identification of a reference. Use of this composite is mandatory.	
	1153	Reference qualifier	M an..3
		Code giving specific meaning to a reference segment or a reference number.	
		AAZ SCAC	
		ABZ License plate number	
		ACE Enhanced driver’s license (EDL) ID (number)	
		AEA ACE ID	
		AFZ Native American Indian/INAC (number)	
		AGF Military ID document (number)	
		AIG Passport Number	
		AKG VIN number	
		ALH Hazmat endorsement	
		ALR U.S. alien registration card A2 (number)	
		ALV Secure Electronic Network for Travelers Rapid Inspection (SENTRI) card (number)	
		AQW Driver’s license (number)	
		AQY U.S permanent resident card C1 (1998-2003)	
		ARJ U.S. passport card (number)	
		ASX U.S. alien registration card A1 (number)	
		AUB Visa immigrant (number)	
		AVP U.S. merchant mariner document ID (number)	
		CDN Citizenship document (expired 2009)	
		CON Certificate of naturalization (expired 2009)	
		CR Laser visa/Border crossing card (number)	
		CRN Conveyance number	
		DM NEXUS number	
		EQ Equipment number	
		ET Permanent resident card C2 (number)	
		GN Visa non-immigrant (number)	
		OTD Other travel document ID (expired 2009)	
		REP DHS re-entry permit (number)	
		RTP DHS refugee travel document (number)	
		TN Transponder identification number	
		ZZZ Commercial driver’s license or driver’s license (CDL)	
		Codes CDN, CON, OTD are no longer valid single references. They may be used as supplementary reference codes if a valid single reference code is also provided.	
	1154	Reference number	M an..35
		Identification number the nature and function of which can be qualified by an	

entry in data element 1153 Reference qualifier.

SCAC:

Standard Carrier Alpha Code

Format: 4 alphas

LICENSE PLATE NUMBER

Report only the alpha/numeric characters found on the license plate. Do not include any reference for the place of issue or registration. That information is reported in LOC0240

ENHANCED DRIVER'S LICENSE (EDL) ID (number)

Do not include any reference for the place of issue or registration. That Information is reported in LOC 0240.

Variable length. Maximum 20 positions

ACE ID

Format:10 positions

NATIVE AMERICAN INDIAN/INAC (number)

Do not include any reference for the place of issue or registration. That Information is reported in LOC 0240.

Variable length. Maximum 20 positions

MILITARY ID DOCUMENT (number)

Variable length. Maximum 20 positions

PASSPORT NUMBER

Enter 2 Alpha ISO country code and passport number

Variable length. Maximum 20 positions

VIN NUMBER

Variable length. Maximum 30 positions

HAZMAT ENDORSEMENT

Report Yes or No

U.S. ALIEN REGISTRATION CARD A2 (number)

Variable length. Maximum 20 positions

SECURE ELECTRONIC NETWORK FOR TRAVELLERS RAPID INSPECTION (SENTRI) CARD (number

Variable length. Maximum 20 positions

DRIVER'S LICENSE

Do not include any reference for the place of issue or registration. That Information is reported in LOC 0240.

Variable length. Maximum 20 positions

U.S. PERMANENT RESIDENT CARD (1998-2003)

Variable length. Maximum 20 positions

U.S. PASSPORT CARD (number)

Variable length. Maximum 20 positions

U.S. ALIEN REGISTRATION CARD A1 (number)

Variable length. Maximum 20 positions

VISA IMMIGRANT (number)

Variable length. Maximum 20 positions

U.S MERCHANT MARINER DOCUMENT ID (number)
 Variable length. Maximum 20 positions

BIRTH CERTIFICATE
 Do not include any reference for the place of issue or registration. That Information is reported in LOC 0240.
 Variable length. Maximum 20 positions

CITIZENSHIP DOCUMENT (expired in 2009)
 Variable length

CERTIFICATE OF NATURALIZATION (expired in 2009)
 Variable length

LASER VISA/BORDER CROSSING CARD (number)
 Variable length. Maximum 20 positions

CONVEYANCE NUMBER
 Format: 18 positions

NEXUS CARD (number)
 Variable length. Maximum 20 positions

EQUIPMENT NUMBER
 Format: 18 positions

PERMANENT RESIDENT CARD C2 (number)
 Do not include any reference for the place of issue or registration. That Information is reported in LOC 0240.
 Variable length. Maximum 20 positions

VISA NON-IMMIGRANT (number)
 Variable length. Maximum 20 positions

OTHER TRAVEL DOCUMENT ID (expired in 2009)
 Variable length. Maximum 20 positions

DHS RE-ENTRY PERMIT NUMBER
 Variable length. Maximum 20 positions

DHS REFUGEE TRAVEL DOCUMENT (number)
 Variable length. Maximum 20 positions

TRANSPONDER IDENTIFICATION NUMBER
 Variable length. Maximum 30 positions

COMMERCIAL DRIVER'S LICENSE NUMBER (number)
 Do not include any reference for the place of issue or registration. That Information is reported in LOC 0240.
 Variable length. Maximum 20 positions

1156	Line number Number of the line in the document/message referenced in 1154 Reference number.	C an..6
4000	Reference version number To uniquely identify a reference by its revision number.	C an..35
1060	Revision Identifier To identify a revision.	C an..6

Segment: **DTM** Date/Time/Period
Position: 0180
Group: Segment Group 2 (General Indicator) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying the date and time of birth and/or death of the actual person as well as the date to perform the requested action (add, delete, change, verify).

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Use of this segment is conditional.

CONDITIONS:

This is used to add/modify crew birthday.

Otherwise, this segment is not used.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
C507		DATE/TIME/PERIOD	M 1
		Date and/or time, or period relevant to the specified date/time/period type.	
	2005	Date or time or period function code qualifier	M an..3
		Code qualifying the function of a date, time or period.	
		329 Birth date	
	2380	Date or time or period value	M an..35
		The value of a date, a date and time, a time or of a period in a specified representation.	
	2379	Date or time or period format code	M an..3
		Code specifying the representation of a date, time or period.	
		4 DDMMCCYY	

Segment: **IHC** Person Characteristic
Position: 0190
Group: Segment Group 2 (General Indicator) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment for specifying person inherited characteristics such as ethnic origin, hair colour, etc. of the actual person.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Use of this segment is conditional.

CONDITIONS:

This is used to add or change conveyance or equipment type. Otherwise, this segment is not used.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3289		PERSON CHARACTERISTIC CODE QUALIFIER Code qualifying a type of characteristic of a person. Always "1"	M 1
C818		PERSON INHERITED CHARACTERISTIC DETAILS To specify an inherited characteristic of a person.	M 1
	3311	Inherited characteristic description code Code specifying an inherited characteristic.	C an..8
	1131	Code list identification code Code identifying a code list.	C an..17
	3055	Code list responsible agency code Code specifying the agency responsible for a code list.	C an..3
	3310	Inherited characteristic description Free form description of an inherited characteristic. Conveyance Types: AR Armored Truck AU Automobile BT Box Truck BI Bicycle BU Bus BV Beverage Truck CO Construction Vehicle (general) EV Emergency Vehicle (general) FE Ferry FM Farm Tractor GB Garbage Truck MC Motorcycle OC Other PM Pick-up Truck with Camper	M an..70

MEDPID for Customs and Border Protection

PN	Panel Truck
PU	Pick-up Truck
PV	Passenger, Van
RV	Recreation Vehicle
TR	Tractor (semi)
TV	Truck, Van
Equipment Types:	
BI	Beverage rack trailer
CB	Gooseneck Trailer
CH	Chassis
CL	Other Length Sea Container (closed top)
CU	Other Length Sea Container (open top)
CZ	Refrigerated Container
DD	Double-Drop Trailer
DT	Drop Back Trailer
FR	Flat Bed Trailer
FT	Flatbed/perform Trailer
HE	Horse Trailer
LP	Logging Pipe or Pole Trailer
LT	Livestock Trailer
L1	Tank Trailer (liquids) not heated/not insulated
L2	Tank Trailer (liquids) heated/not insulated
L3	Tank Trailer (liquids) not heated/ insulated
L4	Tank Trailer (liquids) heated/ insulated
OE	Other
RD	Fix-Rack, Double Drop Trailer
RG	Gondola – closed
RO	Gondola – open
RS	Fix-Rack, Single Drop Trailer
SD	Single-Drop Trailer
TC	Trailer, Car
TK	Tank trailer (food grade liquids)
TL	Trailer (Not otherwise specified)
TW	Trailer, Refrigerated
T1	Tank Trailer (gas) – not heated/not insulated
T2	Tank Trailer (gas) – heated/not insulated
T3	Tank Trailer (gas) – not heated/insulated
T4	Tank Trailer (gas) – heated/insulated
T5	Tank Trailer (chemicals) – not heated/not insulated
T6	Tank Trailer (chemicals) – heated/not insulated
T7	Tank Trailer (chemicals) – not heated/insulated
T8	Tank Trailer (chemicals) – heated/insulated
2B	20 ft. IL container (closed top) (Sea Container)
20	20 ft. IL container (open top) (Sea Container)
4B	40 ft. IL container (closed top) (Sea Container)
40	40 ft. IL container (open top) (Sea Container)

Segment: **NAT** Nationality
Position: 0200
Group: Segment Group 2 (General Indicator) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment specifying place of birth and/or death of the actual person.
Dependency Notes:
Semantic Notes:
Comments:

Notes: Use of this segment is conditional.

CONDITIONS:

This is used to add or modify a crew citizenship.
 Otherwise, this segment is not used.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3493		NATIONALITY QUALIFIER To Qualify a nationality	M an..3
	2	Current citizenship	
C042		Nationality Details To specify a nationality	M
	3293	Nationality, coded Code for country of which an entity is the subject Enter crew citizenship code using ISO 2 character country code.	M an..3
	1131	Code list qualifier Identification of a code list.	C an..3
	3055	Code list responsible agency, coded Code identifying the agency responsible for a code list.	C an..3
	3292	Nationality Name of country of which an entity is the subject	C an..35

Segment: **LOC** **Place/Location Identification**
Position: 0240
Group: Segment Group 2 (General Indicator) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment specifying place of birth and/or death of the actual person.
Dependency Notes:
Semantic Notes:
Comments:
Notes:

Use of this segment is conditional.

CONDITIONS:

This is used

- to add/modify/deactivate CDL, EDL, or driver’s license, state and country of registration,
- to add/modify/deactivate Permanent resident card country of registration, and
- to add/modify/deactivate conveyance or equipment license plate state or country of registration

Otherwise, this segment is not used.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3227		PLACE/LOCATION QUALIFIER Code identifying the function of a location.	M An..3
		ZZZ CDL, EDL, driver’s license, License plate, or Permanent resident card registration	
C517		LOCATION IDENTIFICATION Identification of a location by code or name.	M
	3225	Place/location identification Identification of the name of place/location, other than 3164 City name.	C An..25
	1131	Code list qualifier Identification of a code list.	M An..3
		162 Country of License plate registration	
		163 Country of Permanent resident card registration	
	3055	Code list responsible agency, coded Code identifying the agency responsible for a code list.	C An..3
	3224	Place/location Name of place/location, other than 3164 City name.	M An..70
		Report License Plate or Permanent resident card registration. Use the 2 char ISO code for license plate or Permanent resident card, country of registration.	
C519		RELATED LOCATION ONE IDENTIFICATION Identification the first related location by code or name.	M
	3223	Related place/location one identification Specification of the first related place/location by code.	C An..25
	1131	Code list qualifier Identification of a code list.	M An..3
		229 Region/Geographic Location of License plate registration	
	3055	Code list responsible agency, coded	C an..3

MEDPID for Customs and Border Protection

		Code identifying the agency responsible for a code list.		
	3222	Related place/location one	M	an..70
		Specification of the first related place/location by name.		
		Report License Plate registration.		
		For license plate, region of registration, the 2 or 3 ISO codes will be accepted.		
C553		RELATED LOCATION TWO IDENTIFICATION	C	
		Identification of second related location by code or name.		
	3233	Related place/location two identification	C	an..25
		Specification of a second related place/location by code.		
	1131	Code list qualifier	C	an..3
		Identification of a code list.		
		162 Country of CDL, EDL, or Driver's license registration		
		84 State of CDL, EDL, or Driver's license registration		
	3055	Code list responsible agency, coded	C	an..3
		Code identifying the agency responsible for a code list.		
	3232	Related place/location two	C	an..70
		Specification of a second related place/location by name.		
		Report state and country of CDL, EDL or driver's license registration.		
		Country is mandatory if not US, MX, or CA or if the province is British Columbia (BC), or Baja California (BC).		
		Use the 2 char ISO code for CDL , EDL or driver's license, country of registration.		
		For CDL, EDL or driver's license, region of registration, the 2 or 3 ISO codes will be accepted.		
5479		RELATION, CODED	C	an..3
		To specify the relationship between two or more items.		

Segment: **PDI** **Person Demographic Information**
Position: 0280
Group: Segment Group 3 (Person Demographic Information) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment to specify the sex of the actual person.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Use of this segment is conditional.

CONDITIONS:

This is to add/modify crew gender.
 Otherwise, do not use this segment.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3499		GENDER CODE Code giving the gender of a person, animal or plant.	M an..3
		F Female	
		M Male	
C085		MARITAL STATUS DETAILS To specify the marital status of a person.	C 1
	3479	Marital status description code Code specifying the marital status of a person.	C an..3
	1131	Code list identification code Identification of a code list.	C an..17
	3055	Code list responsible agency code Code specifying the agency responsible for a code list.	C an..3
	3478	Marital status description Free form description of the marital status of a person.	C an..35
C101		RELIGION DETAILS To specify the religion of a person.	C 1
	3483	Religion name code Code specifying the name of a religion.	C an..3
	1131	Code list identification code Code identifying a code list.	C an..17
	3055	Code list responsible agency code Code specifying the agency responsible for a code list.	C an..3
	3482	Religion name Name of a religion.	C an..35

Segment: **UNT** Message Trailer
Position: 0460
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment ending a message, giving the total number of segments in the message and the control reference number of the message.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
0074		NUMBER OF SEGMENTS IN A MESSAGE Control count of number of segments in a message. Report the number or segments in the message.	M n..6
0062		MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender. Report the same reference as reported in UNH Segment, DE 0062.	M an..14

Segment: **UNZ Interchange Trailer**
Position: 0050
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To end and check the completeness of an interchange.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
0036		INTERCHANGE CONTROL COUNT	M 1 n6
		The number of messages and packages in an interchange or, if used, the number of groups in an interchange.	
		Report number of messages in the interchange.	
0020		INTERCHANGE CONTROL REFERENCE	M an..14
		Unique reference assigned by the sender to an interchange.	
		Unique sender reference number.	

APPENDIX A
ISO Country Codes

For use in identifying the country of issuance for personal identity documents in RFF0170 that require it

CODE	DEFINITION
AF	Afganistan
AX	Aland Islands
AL	Albania
DZ	Algeria
AS	American Samoa
AD	Andorra
AO	Angola
AI	Anguilla
AQ	Antarctica
AG	Antigua and Barbuda
AR	Argentina
AM	Armenia
AW	Aruba
AU	Australia
AT	Austria
AZ	Azerbaijan
BS	Bahamas
BH	Bahrain
BD	Bangladesh
BB	Barbados
BY	Belarus
BE	Belgium
BZ	Belize
BJ	Benin
BM	Bermuda
BT	Bhutan
BO	Bolivia
BA	Bosnia-Herzegovina
BW	Botswana
BV	Bouvet Island
BR	Brazil
IO	British Indian Ocean Territory
VG	British Virgin Islands
BN	Brunei
BG	Bulgaria
BF	Burkina Faso
BI	Burundi
KH	Cambodia
CM	Cameroon
CA	Canada
CV	Cape Verde
KY	Cayman Islands
CF	Central African Republic
TD	Chad
CL	Chile
CN	China (mainland)
TW	China (Taiwan)
CX	Christmas Islands
CC	Cocos (Keeling) Islands
CO	Colombia
KM	Comoros
CG	Congo (Brazzaville)
CD	Congo (Kinshasa)
CK	Cook Islands
CR	Costa Rica
CI	Cote d'Ivoire
HR	Croatia
CU	Cuba
CY	Cyprus
CZ	Czech Republic
DK	Denmark

MEDPID for Customs and Border Protection

DJ	Djibouti
DM	Dominica
DO	Dominican Republic
TL	East Timor
EC	Ecuador
EG	Egypt
SV	El Salvador
GQ	Equatorial Guinea
ER	Eritrea
EE	Estonia
ET	Ethiopia
FK	Falkland Islands
FO	Faroe Islands
FJ	Fiji
FI	Finland
FR	France
GF	French Guiana
PF	French Polynesia
TF	French Southern and Antarctic Islands
GA	Gabon
GM	Gambia
DE	Germany
GE	Georgia
GG	Guernsey
GH	Ghana
GI	Gibraltar
GR	Greece
GL	Greenland
GD	Grenada
GP	Guadeloupe
GU	Guam
GT	Guatemala
GG	Guernsey
GN	Guinea
GW	Guinea-Bissau
GY	Guyana
HT	Haiti
HM	Heard and McDonald Islands
HN	Honduras
HK	Hong Kong
HU	Hungary
IS	Iceland
IM	Isle of Man
IN	India
ID	Indonesia
IR	Iran
IQ	Iraq
NT	Iraq-Saudi Arabia Neutral Zone
IE	Ireland
IM	Isle of Man
IL	Israel
IT	Italy
CI	Ivory Coast
JM	Jamaica
JP	Japan
JE	Jersey
JO	Jordan
KZ	Kazakhstan
KE	Kenya
KI	Kiribati
KR	Korea
KW	Kuwait
KG	Kyrgyzstan
LA	Laos
LV	Latvia
LB	Lebanon

MEDPID for Customs and Border Protection

LS	Lesotho
LR	Liberia
LY	Libya
LI	Liechtenstein
LT	Lithuania
LU	Luxembourg
MO	Macao
MK	Macedonia (Skopje)
MG	Madagascar (Malagasy)
MW	Malawi
MY	Malaysia
MV	Maldives
ML	Mali
MT	Malta and Gozo
MH	Marshall Islands
MQ	Martinique
MR	Mauritania
MU	Mauritius
YT	Mayotte
MX	Mexico
FM	Micronesia
MD	Moldova
MC	Monaco
MN	Mongolia
ME	Montenegro
MS	Montserrat
MA	Morocco
MZ	Mozambique
MM	Myanmar
NA	Namibia
NR	Nauru
NP	Nepal
NL	Netherlands
AN	Netherlands Antilles
NC	New Caledonia
NZ	New Zealand
NI	Nicaragua
NE	Niger
NG	Nigeria
NU	Niue
NF	Norfolk Island
KP	North Korea
MP	Northern Mariana Islands
NO	Norway
OM	Oman
PK	Pakistan
PW	Palau
PS	Palestinian Territory
PA	Panama
PG	Papua New Guinea
PY	Paraguay
PE	Peru
PH	Philippines
PN	Pitcairn Island
PL	Poland
PT	Portugal
PR	Puerto Rico
QA	Qatar
ZA	Republic of South Africa
YE	Republic of Yemen
RE	Reunion (French)
RO	Romania
RU	Russia
RW	Rwanda
SH	St. Helena
KN	St. Kitts and Nevis

MEDPID for Customs and Border Protection

PM St. Pierre and Miquelon
LC St. Lucia
VC St. Vincent and the Grenadines
WS Samoa
SM San Marino
ST Sao Tomes and Principe
SA Saudi Arabia
SN Senegal
RS Serbia
SC Seychelles
SL Sierra Leone
SG Singapore
SK Slovakia
SI Slovenia
SB Solomon Islands
SO Somalia
GS South Georgia and South Sandwich Islands
ES Spain
LK Sri Lanka
SD Sudan
SR Surinam
SJ Svalbard and Jan Mayen Islands
SZ Swaziland
SE Sweden
CH Switzerland
SY Syria
TJ Tajikistan
TZ Tanzania
TH Thailand
TG Togo
TK Tokelau Islands
TO Tonga
TT Trinidad and Tobago
TN Tunisia
TR Turkey
TM Turkmenistan
TC Turks and Caicos Islands
TV Tuvulu
UG Uganda
UA Ukraine
AE United Arab Emirates
GB United Kingdom
US United States
UM United States Outlying Islands
UY Uruguay
UZ Uzbekistan
VU Vanuatu
VA Vatican City
VE Venezuela
VN Vietnam
VG British Virgin Islands
VI U.S. Virgin Islands
WF Wallis and Futuna Islands
EH Western Sahara
ZM Zambia
ZW Zimbabwe

APPENDIX B

ISO State/province Codes

For use in identifying the state/province of issuance for personal identity documents in RFF0170 that require it

U.S. States

AK Alaska
AL Alabama
AR Arkansas
AZ Arizona
CA California
CO Colorado
CT Connecticut
DC District of Columbia
DE Delaware
FL Florida
GA Georgia
GU Guam
HI Hawaii
IA Iowa
ID Idaho
IL Illinois
IN Indiana
KS Kansas
KY Kentucky
LA Louisiana
MA Massachusetts
MD Maryland
ME Maine
MI Michigan
MN Minnesota
MO Missouri
MS Mississippi
MT Montana
NC North Carolina
ND North Dakota
NE Nebraska
NH New Hampshire
NJ New Jersey
NM New Mexico
NV Nevada
NY New York
OH Ohio
OK Oklahoma
OR Oregon
PA Pennsylvania
PR Puerto Rico
RI Rhode Island
SC South Carolina
SD South Dakota
TN Tennessee
TX Texas
UT Utah
VA Virginia
VI Virgin Islands
VT Vermont
WA Washington
WI Wisconsin
WV West Virginia
WY Wyoming

Mexican States

AGU Aguascalientes
BCN Baja California Nord
BCS Baja California Sur
CAM Campeche
CHH Chihuahua

MEDPID for Customs and Border Protection

CHP	Chiapas
COA	Coahuila
COL	Colima
DIF	Distrito Federal
DUR	Durango
GRO	Guerrero
GUA	Guanajuato
HID	Hidalgo
JAL	Jalisco
MEX	Mexico State
MIC	Michoacan
MOR	Morelos
NAY	Nayarit
NLE	Nuevo Leon
OAX	Oaxaca
PUE	Puebla
QUE	Queretaro
ROO	Quintana Roo
SIN	Sinaloa
SLP	San Luis Potosi
SON	Sonora
TAB	Tabasco
TAM	Tamaulipas
TLA	Tlaxcala
VER	Vera Cruz
YUC	Yucatan
ZAC	Zacatecas

Canadian Provinces

AB	Alberta
BC	British Columbia
MB	Manitoba
NB	New Brunswick
NL	Newfoundland and Labrador
NS	Nova Scotia
NT	Northwest Territories
NU	Nunavut
ON	Ontario
PE	Prince Edward Island
QC	Quebec
SK	Saskatchewan
YT	Yukon Territory

